

This catalog is designed to meet all your wheels & caster needs.



BAKERY INDUSTRY

Simply the best in temperatures. Castors for the bakery and bread industry



CHEESE INDUSTRY

Experience and passion. Castors for cheese and dairy industry.



EGGS AND POULTRY INDUSTRY

We care about delicates. Castors for the eggs and poultry industry.



FISH INDUSTRY

Salty problems solved. Castors for the fish processing industry.



FRUIT AND VEGETABLES INDUSTRY

Fresh picked moving ideas. Castors for fruit and vegetable processing.



INDUSTRIAL KITCHENS

Cooking, frying, cleaning, easy. Castors for industrial kitchens and tables.



MEAT AND BUTCHERY INDUSTRY

Rolling in the health. Castors for the meat processing industry.



WINE AND OIL INDUSTRY

Because origin matters. Castors for wine and oil industry.



Longer lasting casters with easier rolling wheels

- 2- Year warranty on all Stainless-Steel Casters
 - 1- Year warranty on all Zinc Plated Casters

All States Casters * Ph # 800-234-3882 or 512-832-9821 * Fx # 512-832-9834 * sales@allstatescasters.com

Mission Statement

Our Mission is to make All States Casters your preferred caster destination in all caster products by delivering outstanding value, continuous innovation, coupled with unparalleled customer experience by consistently fulfilling all expectations and promises.

Warranty

All States Casters has an unmatched warranty on all stainless-steel products. We offer a 2-year warranty on stainless steel product from date of purchase. A 1-year warranty on all zinc product from date of purchase.

About All States Casters

All States Casters, a division of All States Equipment, L.P., was founded in Austin, Texas in 1990, for the express purpose of marketing and selling casters to the food manufacturing and retailing industries. We quickly learned that stainless steel casters were the only casters that offered the performance and longevity needed in food processing environments where frequent washing & cleaning of equipment is required. After substantial penetration into the food industry, a decision was made to add the medical and pharmaceutical sectors to our stainless caster marketing program. Our commitment, going forward, is to continue to grow our caster business in these underserved markets by offering high quality, long lasting casters and wheels coupled with unparalleled customer service.

We concentrate much of our time and energy specifying and selling stainless steel casters, we can and do, offer the full range of standard zinc-plated casters for those environments where stainless steel is not required. However, in keeping with our emphasis on quality and longevity, we try to specify and recommend high performance casters that roll easier and last longer to provide our customers the most ergonomic and value-added products possible. We understand the importance of adding value to our customer's bottom line by reducing their cost of ownership through reduced caster replacement costs. A word to the wise when it comes to selecting casters! The lowest priced caster is rarely the best value, and may very well increase your replacement costs, equipment downtime; and, reduce operating efficiencies.

This catalog has been designed for all maintenance and other personnel to reference corresponding products and quickly identify which wheel and caster is needed. While drafting this catalog, our thoughts have been on saving time, easy reference, and selection. Please contact us at 512-832-9821 for questions or request of products.

High Temperature Stainless-Steel Casters

The Ultimate Hi-Temp Rubber! - MGX/100WRSB

We Guarantee the tread will not separate from the core! Soft, Quiet, Long Lasting & Maintenance – Free!

- Protects Floors of Every Type
- Rough Epoxy, Tile, Stained Concrete, etc.
- ➤ +572°F to -40°F Temperature Range
- 260 lbs. load capacity
- NOISE Reduction
- > Helps Equipment & Casters Last Longer
- By absorbing impacts
- Lasts longer than hard wheels
- Maintenance-Free
- > 304 Stainless-Steel Heavy-Duty Bracket
- Bracket will last for many years
- Just replace wheels as they wear out
- Lasts even longer when LubriClean is used



Straight Sided Orange Wheel- MGX/100HMS

Stainless high temperature caster with straight sided, longer lasting wheel.

BENEFITS

- Highly Polished Superior 304 Stainless Steel Bracket
- 20-30% Longer Lasting Wheel Then the Green
- Easy rolling Maintenance-Free Precision Bearings
- NO Dry Friction Squeaking
- ► +500°F Temperature Range
- Wheel Load capacity 350 lbs.



Black Hybrid Phenolic - MGX100BT

Stainless caster with black premium hybrid phenolic wheel

Benefits

- > Superior 304 Stainless Steel Quality
- Long-lasting Caster
- Maintenance-Free
- No Dry Friction Squeaking
- ➤ +572°F to -40°F Temperature Range
- Wheel Load capacity 400 lbs.

Features

Finish: Electro-polished stainless-steel caster bracket Swivel: Double row stainless steel ball bearing raceway

Wheel: Premium Hybrid Phenolic wheel with hi-temp non-squeak bushing



Tan Composite - MGX/100STW

High Temperature Tan Composite Caster

Benefits

- Superior 304 Stainless Steel Quality
- Resists Chipping on Rough Floors
- Long lasting & Maintenance-Free
- > +536°F Temperature Range
- Wheel Load capacity 350 lbs.

Features

Finish: Electro-polished stainless steel Swivel: Double row ball bearing raceway

Axle: 5/16" Diameter



Octagon, round, and threaded stems for baking carts



Stainless Steel

ASE-S517

- > Stainless Steel 5 X 1-1/4" Swivel caster with SS octagon grip ring stem ASE-S517-T
 - Stainless Steel 5 X 1-1/4" total lock caster with SS octagon grip ring stem





ASE-652

5" swivel with stainless steel 7/16" grip ring stem Square socket tube part number listed below

ASE-4SD716GR

4" swivel with stainless steel grip ring stem





Zinc Plated



ASE-MBS-CUT 7/16"X1-3/8" socket

ASE617-TPE-GR

- ightarrow~5 X 1- 1/4" swivel caster with octagon grip ring stem ASE-617-B
 - > 5 X 1- 1/4" swivel caster with octagon grip ring stem and brake



ASE-652G

> 5" swivel with 7/16" grip ring stem

ASE-SOC

> 7/16"ID X 2-1/4" L-socket for a 7/8" square tube



ASE-615

- > 5" swivel caster with threaded stem
- ASE-615-B
 - > 5" swivel caster with brake and threaded stem





Call and ask for details on different wheel sizes and wheel weight capacity.

Square Expandable Stems for baking racks



Stainless Steel

ASE-S5138SQ

SS 5" swivel caster with expandable stem

ASE-S5138SQ-T

SS 5" total lock caster with expandable stem and brake





Zinc Plated

ASE-5138SQ

- 5" swivel caster with expandable stem
- ASE-5138SQ-T
 - > 5" total lock caster with expandable stem and brake



Call and ask for details on expandable stem sizes, different wheel sizes and weight capacity.

Round Stems for wire carts



Stainless Steel

ASF-544


- > Stainless Steel 5 X 1-1/4" Swivel caster with SS grip ring stem ASE-544-T
 - Stainless Steel 5 X 1-1/4" total lock caster with SS grip ring stem



Zinc Plated

ASE-5M

- 5 X 1- 1/4" swivel caster with grip ring stem ASE-5M-B
 - 5 X 1- 1/4" swivel caster with grip ring stem and brake



Round Expandable Stems for rounded end mobile tables



Stainless Steel

ASE-925

- SS 5" swivel caster with stainless-steel expandable stem ASE-925-T
 - SS 5" total lock caster with stainless-steel expandable stem and brake



Zinc Plated

ASE-925G > 5" swivel caster with expandable stem ASE-925G-B 5" swivel caster with expandable stem and brake Call and ask for details on wheel sizes and wheel weight capacity

Lift Carts and mixing dolly



Stainless Steel

ASE-5HU52-S

Stainless 5"X2" swivel with ploy on nylon wheel and SS precision bearing

ASE-HU52 (replacement wheel)

Stainless 5"X2" ploy on nylon wheel with SS precision bearing



Zinc Plated

ASE-45HU52-S

5"X2" swivel caster with ploy on nylon wheel precision bearing



ASE-5HU42-S

Stainless steel 4"X2" swivel with ploy on nylon wheel With precision bearings



ASE-45HU42-S

Zinc- 4"X2" swivel caster with ploy on nylon and precision bearings





Mixing dolly carts and replacement wheels



Mixing Bowl Dolly

ASE-3PN114

> SS 3" X1- 3/8" swivel with SS threaded stem

ASE-3PN-KIT


3" red ploy wheel with stainless steel roller bearing, Stainless steel bushing, and 10 mm axle and nut

ASE-MBDC

Zinc plated 3" X 1- 1/4" swivel with threaded stem

ASE-3SD-KIT

3"x1-1/4" grey rubber wheel with stainless steel ball bearing and Stainless steel axle



ASE-221 – Steel mixing bowl dolly with upgraded zinc casters

ASE-221S - Steel mixing bowl dolly with upgraded stainless-steel casters

ASE-223S- Aluminum mixing bowl dolly with upgraded stainless-steel casters

Call and ask for details on wheel sizes and wheel weight capacity



Lubricant

ASE-16LC

➤ 16 oz. spray can Spray on lube (-40°F to 600°F; NSF listed, H-2 rated)

ASE-12LC

> 16 oz. (One case of 12)

ASE-8LC

> 8 oz. spray can

LubriClean advantages

Exceptional Wear Protection: It has one of the highest lubricity ratings to protect against wear, friction, Rust and corrosion; thus, extending bearing, chain and equipment life.

Non-Carbonizing: This is a clean, ash-less fluid-film leaving no residue when dissipating, which does not Allow carbonization nor oxidation to occur while lubricated.

Low Evaporation & Volatility: Very stable in high temperatures, provides longer lubrication intervals, Saves money on lubricant consumption, has less smoke and no objectionable odors.

High Flash Point: It can be applied to either a hot or cold item while in production, hence reduced Maintenance costs and increasing productivity, but cannot be sprayed near flames.



Wooden H-frame dolly

ASE-#200 W/4 TPR

- Solid oak dolly with rugged conveyor belting top
- > 750-pound capacity





ASE-3-40-213F-2

> 3"x1-1/4" swivel caster with TPR wheel

Plated casters for utility mixers and carts



Stainless Steel plated

ASE-874-T

> SS 5" X 1- 1/4" swivel caster with total lock caster ASE-874

SS 5" X 1- 1/4" Swivel caster ASE-874-R

➤ SS 5" X 1- 1/4" rigid caster



Angled corner bumper







ASE-874G-B

5" X 1- 1/4" swivel caster with brake ASE-874G

> 5" X 1- 1/4' swivel caster ASE-648-R

5" X 1- 1/4" rigid caster





Hardware for angled corner bumper





ASE-5PN-KIT

5" red ploy wheel with stainless steel bearing, stainless steel Bushing, 10mm axle, and nut



5" grey TPE wheel with precision ball bearing, stainless steel 8 mm axle, and nut







Ingredient Bins



Stainless Steel

ASE-340D

> 3" X 1- 1/4" swivel caster with grey wheel ASE-341D

> 3" X 1- 1/4" rigid caster with grey wheel



ASE-3SD-KIT

> 3"1-1/4" grey rubber wheel with stainless steel ball bearing and axle/ nut



Zinc Plated

ASE-3X1-S

> 3" X 1- 1/4" swivel caster with grey wheel ASE-3X1-R

> 3" X 1- 1/4" rigid caster with grey wheel



ASE-3A2

> 3"x15/16" grey rubber wheel





Square or Threaded Stem for dough racks



Stainless Steel

ASE-3PNSQ

- > SS 3" swivel caster with SS square stem ASE-3PNSQ-T
- SS 3" total lock caster with SS square stem ASE-612-T
- SS 5" X 1-1/4" total lock caster with threaded stem ASE-612
 - > SS 5" X 1-1/4" swivel caster with threaded stem









Zinc Plated



- > 3" caster with precision ball bearing and square stem ASE-3PSSQ-T
- \succ 3" caster with precision ball bearing and square stem and brake ASE-546PO
- ➤ 5"X1-1/4" swivel caster with threaded stem ASE-572PO-T
 - > 5"X1-1/4" swivel caster with threaded stem and brake

Call for additional information on replacement wheels



Additional parts for carts and racks



ASE-RB-7/16

➤ Grey rotating bumper with 7/16" hole



ASE-RRB

Round Bumper

ASE-CB100B

➤ Black corner bumper 3"X3" inside and 4"X4" outside



Plastic Service Carts





ASE-540D

- > 5"x1-1/4" swivel caster with soft TPR wheel ASE-541D
 - ➤ 5"x1-1/4" rigid caster with soft TPR wheel





ASE-540ER

> Stainless steel 5"X1-1/4" swivel caster with soft elastomeric rubber wheel And bearings

ASE-541ER

> Stainless steel 5"X1-1/4" rigid caster with soft elastomeric rubber wheel And bearings







U-boat type carts



Stainless Steel

ASE-5PN-T

- ➤ Stainless 5" X 1-1/4" swivel caster with total lock brake ASE-5PN-S
 - > Stainless 5" X 1-1/4" swivel caster





Zinc Plated

ASE-618G-B

- > 5" swivel caster with brake
- ASE-618G
 - > 5" swivel caster





ASE-62PU-RB

- Blue Ploy wheel- 6"X2" rigid caster with brake ASE-62NG-RB
 - ➤ Black Nylon Wheel- Stainless 6" X 2" rigid caster with brake



Hardware for all plated casters



ASE-RR-HDWR

3- 1/4" carriage bolt kit- bolt, washer, and nut

Please note: factory carts come with only three mounting bolts on casters. Contact us for additional information.



ASE-SS BAXTER HARDWARE 4-hex bolts, washers, and keep nuts



ASE-SS HARDWARE-CAR 4- carriage bolts, washers, and keep nuts



ASE-WR-HDWR 4- stainless steel 1/4"-20X3/4" bolt, washer, and nylon nut

Step stocking ladders





Zinc Plated

ASE-125R-CL

- ➤ 5"X1-1/4" Central lock plate caster ASE-125ER-R
 - ➤ 5"x1-1/4" rigid caster






Zinc Plate ASE-618G-B

- > 5"x1-1/4" swivel caster with brake ASE-618G-R
 - > 5"X1-1/4" rigid caster

Call for details on this caster.



Commercial Equipment



Stainless

ASE-3PN-T

Stainless 3" total lock caster



Stainless 5"X 1-1/4" total lock caster

Weight on equipment will differ, please call for details.





ASE-42PN-T

> Stainless 4" X 2" total lock caster with nylon wheel and

Zinc Plated



ASE-42PNSL-B

4" X 2" Swivel lock caster with nylon wheel and brake

Contact to confirm weight capacity and plate size needed



Replacement casters for industrial ovens



Stainless Steel

ASE-42PN-T

4"X2" Total lock caster with nylon wheel And precision ball bearing




ASE-4N343

4"X1-3/8" stainless swivel caster with




Threaded stem and white nylon wheel









ASE-4STW34

4"X1-3/8" stainless swivel caster with threaded Stem and composite wheel with precision ball bearing

ASE-4STW34-T

➤ 4"X1-3/8" stainless total lock caster with threaded Stem and composite wheel with precision ball Bearing



Zinc Plated


ASE-42PNSL-B

4"X2" swivel caster with nylon wheel- swivel lock



➤ 4"X1-1/4" swivel caster with threaded stem

4"X1-1/4" total lock caster with threaded stem









Replacement casters for grease removal stand and filter system



Stainless Steel

ASE-446D-B

➤ 4"X1-1/4" total lock caster with threaded stem ASE-441D

➤ 4"X1-1/4" rigid plate caster

ASE-446D

→ 4"X1-1/4" swivel caster with threaded stem







Zinc Plated

ASE-446F-B

➤ 4"X1-1/4" zinc swivel caster with threaded stem and brake ASE-441F

➤ 4"X1-1/4" zinc rigid caster plate ASE-446F

➤ 4"x1-1/4" swivel caster with threaded stem





Replacement casters for fryers, oven, and electric griddle



Stainless Steel

ASE-54PO

> 5" swivel with polyolefin wheel and ball bearing ASE-54PO-B

5" swivel with polyolefin wheel and ball bearing with brake



ASE-S4STW-B

➤ 4"X1-1/4" swivel caster with composite wheel and brake ASE-S4STW

➤ 4"X1-1/4" swivel caster with composite wheel



Zinc plated

ASE-527P

> 5" swivel caster with polyolefin wheel and ball bearing ASE-527P-B

> 5" swivel caster with polyolefin wheel with ball bearing and brake



ASE-4STW-B

➤ 4"X1-1/4" swivel caster with composite wheel and brake ASE-4STW

4"X1-1/4" swivel caster with composite wheel



ASE-4HN21

Stainless steel 3" swivel caster with large applicator kit



ASE-HP3-B

3"X1" swivel caster with hard wheel, high point threaded Stem and brake



> 3"X1" swivel caster with hard wheel and high point threaded stem















Replacement casters for meat grinders









ASE-5PNA2-T

- ➣ 5"X1-5/8" Total lock swivel with A2 top plate ASE-5PNA2-S
 - ➤ 5"X1-5/8" swivel caster with A2 top plate

ASE-5PN-T

- ➤ 5"X1-3/8" total lock swivel caster ASE-5PN-S
 - ➤ 5"X1-3/8" swivel caster

ASE-119RX-T

- ➤ 5"X1-3/8" total lock caster ASE-123RX
 - ➤ 5"X1-3/8" rigid caster





*Please confirm plate size as there are different types of equipment.

Recommended to replace all four wheels at the same time.

Replacement casters for meat tenderizer and slicer



Stainless Steel

ASE-5PNA2-SP

- 5"X1-5/8" Swivel caster with special overall height- red/ white wheel ASE-5PSA2-SP
 - > 5"X1-5/8" swivel caster with special overall height-Blue/ white wheel



- 3" total lock caster with stainless steel threaded stem ASE-3PN101
 - 3" swivel caster with threaded stem





Recommended to replace all four wheels at the same time

Oil pan replacement wheels for Henny Penny



Zinc Plated

ASE-HP2EN

2"X1" swivel caster with soft neoprene wheel And ball bearing

ASE-HP2PO

> 2"x1" swivel caster with hard polyolefin wheel



Oil pan is located underneath

Replacement wheels for Henny Penny Fryer- retrofit for OEM caster after the insert is removed- square leg only Stainless and Zinc plated



ASE-HP4SQ-T

- 4"X1-1/4" swivel caster with elastomeric rubber wheel- square stem and brake ASE-HP4SQ
 - ➤ 4"x1-1/4" swivel caster with elastomeric rubber wheel with square stem



ASE-HP4SQ-B

- ightarrow 4"x1-1/4" swivel caster with hard polyolefin wheel, square stem and brake ASE-HP4SQ
 - ➤ 4"X1-1/4" swivel caster with hard polyolefin wheel and square stem



Refrigerator replacement casters

Stainless Steel or Zinc



ASE-S346ER-T

3"x1-1/4" total lock caster with soft elastomeric rubber Wheel, stainless steel roller bearing and brake





ASE-S346ER

> 3"x1-1/4" swivel caster with soft elastomeric rubber Wheel and stainless steel roller bearings

Available in 5 inch wheel - ASE-S546ER



ASE-346PO-B

> Zinc 3"X1-1/4" stem caster with polyolefin wheel, ball Bearings and brakes

Available in 5 inch wheel- ASE-546PO-B



ASE-346PO

Zinc 3"X1-1/4" stem caster with polyolefin Available in 5 inch wheel- ASE546PO



ASE-S3ERA2-B

> 3"x1-1/4" swivel caster with soft elastomeric Rubber wheel, stainless steel bearings, and brake Available in 5-inch wheel- ASE-S5ERA2-T



ASE-S3ERA2

> 3"x1-1/4" swivel caster with soft elastomeric Rubber wheel and stainless roller bearings Available in 5-inch wheel- ASE-S5ERA2



ASE-32POA2-B

> 3"x1-3/4" swivel caster with polyolefin wheel, ball bearings and brake Available in 5-inch wheel- ASE-5POA2-B



ASE-32POA2

> 3"X1/3/4" swivel caster with polyolefin wheel and ball bearings Available in 5-inch wheel- ASE-5POA2




ASE-733EE

> 3"X1-3/8" swivel caster with ergonomic elastomer wheel and ball bearings



ASE-733EE-B

> 3"X1-3/8" swivel caster with ergonomic elastomer wheel and brake





ASE-32PO28-KIT

> 3"X1-3/4" hard polyolefin wheel with precision ball bearings and axle



ASE-5PO-KIT

> 5"x1-1/4" hard polyolefin wheel with bearing and axle



ASE-S5PO-KIT

5"X1-1/4" hard polyolefin wheel with stainless steel Ball bearings and axle









Generic Equipment- Tilt trash trucks







- ➤ 12" X 3" semi-pneumatic wheel with 3/4" ball bearings ASE-ZP1025
- > 10" X 2-1/2" semi-pneumatic wheel with 5/8" ball bearings ASE-SW2
- > 10" X 2" Soft blue elastomeric wheel with 5/8" ball bearing ASE-SW234
 - > 10"X2" soft blue elastomeric wheel with 3/4" ball bearing



Zine Plate or Threaded Stem



> 5" X 1-1/4" swivel caster with soft TRP wheel

ASE-546F

> 5" X 1-1/4" swivel caster with soft TPR wheel and 1/2" - #13 thread stem ASE-438F

4" X 1-1/4 swivel caster with 1/2" - #13 thread stem

Please contact us for additional questions on wheel size and type of equipment needed.

Standard Shopping Cart replacement wheels

Zinc Plated with treaded stem



ASE- 615-LC

Standard 5" rear caster

ASE-5114-ANTI-S

> Premium 5" Anti-static wheel with 5/16" bore ASE-414-LC

> Premium 4" rear wheel with 5/16" bore

ASE-5114-P

> Premium 5" wheel with 5/16" bore



ASE-643LC

> 5" Front caster with 1/2" extra-long threaded stem ASE-885-LC


5" rear caster with round stem-Used on Trolley Kiddy carts

ASE-546F-B

> 5" front shopping cart caster with brake ASE-916-LC

> 5" rear caster with precision ball bearings in Swivel caster





- > Sealed Precision ball bearing
- ➤ Soft Tread
- ➤ Rolls Effortlessly
- ➤ Smooth and Quiet rolling



ASE-277-LB

Rear caster axle- length- 2-3/8"

ASE-277-L

Front caster axle- length- 2-1/4"



ASE-C-CL

Hard bumper









Receiving and Stocking carts

Zinc Plated Casters

Height of wheels sizes are 12", 10", 8", 6", and 5" and width of wheels are 2 inches

Parts shown are 8"X2"- part numbers- please call for additional part Numbers on the other wheel size.



ASE-45ASE8-S

 8"x2" swivel caster with soft elastomeric rubber wheel and Precision ball bearing

ASE-45ASE8-B

8"x2" swivel caster with soft elastomeric rubber wheel, Precision ball bearings and brake

ASE-45ASE8-R

- ➤ 8"x2" rigid caster with soft elastomeric rubber wheel ASE-0820-08K
 - > 8"X2" Soft Elastomeric wheel



ASE-45PU8-S

- 8"x 2" swivel caster with poly wheel and ball bearing ASE-45PU8-B
- > 8"x2" swivel caster with poly wheel and brake
- ASE-45PU8-R
- > 8"x2" rigid caster with poly wheel

ASE-853-8

8"x2" Polyurethane wheel

Parts shown are 5"X2"- part numbers- please call for additional part number on the other wheel size.



ASE-16HU5-S

- ➤ 5"X2" swivel caster with easy rolling ploy on nylon wheel ASE-16HU5-B
 - 5"x2" swivel caster with easy rolling ploy on nylon wheel with brake



ASE-16HU5-R

- > 5"x2" rigid caster with easy rolling ploy on nylon wheel ASE-HU5
 - > 5"X2" easy rolling ploy on nylon wheel




ASE-16GR5-S

- ➣ 5"X2" swivel caster with soft grey rubber wheel ASE-16GR5-B
- > 5"x2" swivel caster with soft grey rubber wheel with brake ASE-16GR5-R
- ➤ 5"X2" Rigid caster with soft rubber wheel ASE-853-5-TPE
 - > 5"x2" grey soft rubber wheel



ASE-649

- > 4"X 1-1/4" swivel caster with polyurethane wheel ASE-649-B
 - ➤ 4"x 1-1/4" swivel caster with polyurethane wheel with brake





ASE-FSL-4

Foot operated bolt on 4 Position swivel lock



ASE-CWB-5 KIT

Premium brake kit option

Available in different sizes. Call for More information



Pallet jack replacement wheels



ASE-BJL

➤ Big Joe 27"X48"- 2- load rollers, 4- precision ball bearings, 2- axles with nuts



ASE-BJ8

> 8"x2" with 25 mm bearings steering wheel



ASE-BJ7

> 7"x2" with 25 mm bearings steering wheel



ASE-BJ1.75

Load roller kit for Big Joe Lo-pro



Electric pallet jack replacement roller wheel



ASE-CR3X6

> Crown ride-on load roller- 3-1/14"X 6-1/2" wide with precision ball bearings



ASE-CRNL

Crown load roller kit-



Crown steer wheel 7"X2" with sealed precision Ball bearings



Pallet Jacks

ASE-LR2748-STD

> Titan pallet jack (5500 lbs. capacity)- 27"X48" with nylon load And steer wheels – thin forks







1 YEAR LIMITED
WARRANTY
ON FRAME



6 Mo. LIMITED WARRANTY ON WHEELS





ASE-LR2748-POLY

Titian upgraded replacement polyurethane load Wheels and steering wheel



ASE-PJ2748

Standard 27"X48"

Extreme power cleaner

EPC-32* 32oz bottle
EPC-1 1-gallon bottle
EPC-5 5-gallon pails
EPC-55 55-gallon drums







Approximate usage: 16oz. in Rider Scrubber & 8oz. in Walk-Behind Scrubbers

Benefits:

- > Reduces cost of cleaning to approx. \$250/month average.
- Biodegradable & Environmentally Safe.
- Contains No: caustics, acids, chlorinated solvents or petroleum distillates.
- Inhibits rust.



All-purpose cans and dollies

ASE-2640

> Can dolly base- 350 lbs. capacity

ASE-TRASH CAN-KIT

> Brute 44-gallon Gray Trash Can with Lid- plus 250-lb Dolly





Aluminum Convertible hand truck

ASE-4CHT

> Shorter fold-down aluminum hand-truck w/ 500 lbs. capacity

ASE-1CHT

➤ Taller fold-down aluminum hand-truck w/ 500 lbs. capacity



Replacement parts



ASE-SW2

Long lasting 10"x 2" soft elastomeric rubber wheel w/ 5/8 BB



ASE-EA1

➤ 18"x9" extruded aluminum nose plate w/ mounting hardware



ASE-CHTC

5"x1-3/8" swivel caster for convertible hand-truck



ASE-BKT

Left & right wheel brackets for aluminum hand trucks

Basic Caster Parts



Basic Expandable Stem sizes

Round Applicator



Sizes
3/4" ID tube
7/8" ID tube
1" ID tube
1-1/8" ID tube
1-3/8" ID tube
1-1/2" ID tube
1-7/8" ID tube



Square Applicator



Sizes
3/4" Sq. tube
1" Sq. tube
1-1/8" Sq. tube
1-3/8" Sq. tube

Call for exact size needed for your application

Plate Sizes




Plate size: 3-3/8" x 3-15/16" Bolt Hole Pattern: 1-3/4" x 3"




Plate size: 4" X 4- 1/2" Bolt Hole Pattern: 2- 5/8" x 3- 5/8"




Plate size: 2-3/8" x 3-5/8" Bolt Hole Pattern: 1-3/4" x 3"